

2026年度 水質汚濁防止法第16条測定計画（河川） 測定結果

地点名	類型	項目名	単位	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	平均	75%値	環境基準値
境川	大道橋 (環境基準点)	pH	—	7.6	7.8	7.5	7.6	7.7								7.6		6.0~8.5
		SS	mg/L	8	10	4	2	4								6		100以下
		BOD	mg/L	6.1	8.9	3.6	3.3	7.8								5.9		8以下
		COD	mg/L	6.5	7.1	5.1	4.5	5.8								5.8		—
	川名橋 (柏尾川)	pH	—	7.8	7.9	7.7	7.8	8.0								7.8		6.5~8.5
		SS	mg/L	3	3	2	2	7								3		50以下
		BOD	mg/L	1.9	2.2	1.4	1.2	1.7								1.7		5以下
		COD	mg/L	6.4	6.9	5.0	5.5	7.4								6.2		—
	境川橋 (環境基準点)	pH	—	7.6	7.8	7.6	7.7	7.7								7.7		6.5~8.5
		SS	mg/L	4	3	2	1	2								2		50以下
		BOD	mg/L	1.8	2.8	2.1	1.5	2.2								2.1		5以下
		COD	mg/L	5.3	5.9	4.4	4.3	4.9								5.0		—
引地川	下土棚大橋	pH	—	7.7	8.0	7.7	7.7	7.9								7.8		6.5~8.5
		SS	mg/L	2	6	3	2	5								4		50以下
		BOD	mg/L	2.5	3.5	1.8	2.0	4.2								2.8		5以下
		COD	mg/L	4.2	4.1	3.5	2.9	4.1								3.8		—
	石川橋	pH	—	8.0	8.5	7.9	7.9	8.1								8.1		6.5~8.5
		SS	mg/L	1	13	1	2	2								4		50以下
		BOD	mg/L	1.3	3.1	1.4	1.4	2.7								2.0		5以下
		COD	mg/L	3.5	5.2	3.3	2.9	4.5								3.9		—
	富士見橋 (環境基準点)	pH	—	8.0	8.8	7.9	8.0	8.2								8.2		6.5~8.5
		SS	mg/L	2	6	3	2	4								3		50以下
		BOD	mg/L	1.3	2.4	1.4	0.9	1.2								1.4		5以下
		COD	mg/L	4.0	4.9	3.2	2.9	3.9								3.8		—

2026年度 水質汚濁防止法第16条測定計画（海域） 測定結果

海域名	類型	項目名	単位	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	平均	75%値	環境基準値
江の島西	A	pH	—	8.1	8.3	8.2	8.2	8.3								8.2		7.8~8.3
		COD	mg/L	2.5	1.8	1.1	2.0	1.7								1.8		2以下
		大腸菌数	CFU/100mL	47	<1	670	3	1								140		300以下
辻堂沖 (環境基準点)	A	pH	—	8.1	8.3	8.2	8.2	8.2								8.2		7.8~8.3
		COD	mg/L	1.7	1.7	0.9	1.8	1.5								1.5		2以下
		大腸菌数	CFU/100mL	1	<1	28	<1	<1								6		300以下

このデータは確定作業前の速報値ですので後日変更する可能性があります。

2026年度 藤沢市河川水質測定計画 測定結果

地 点 名	類型	項目名	単位	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	平均	75%値	環境基準値
引地川水系	熊野橋 (本川)	pH	—	7.6	7.9	7.7	7.6	7.5								7.7		6.5~8.5
		SS	mg/L	1	2	6	1	3								3		50以下
		BOD	mg/L	1.1	1.2	<0.5	0.7	0.5								0.8		5以下
		COD	mg/L	1.9	1.1	1.9	1.5	1.4								1.6		—
	新境橋 (夢川)	pH	—	7.5	7.8	7.7	7.5	7.6								7.6		6.5~8.5
		SS	mg/L	2	3	7	2	4								4		50以下
		BOD	mg/L	4.9	4.5	2.5	2.9	5.4								4.0		5以下
		COD	mg/L	5.2	4.0	5.4	4.1	4.9								4.7		—
	不動川橋 (不動川)	pH	—	7.6	8.3	8.6	7.8	8.6								8.2		6.5~8.5
		SS	mg/L	<1	<1	<1	<1	<1								<1		50以下
		BOD	mg/L	1.9	1.4	1.0	1.1	0.9								1.3		5以下
		COD	mg/L	2.5	1.1	2.4	1.9	1.9								2.0		—
	稲荷山橋 (一色川)	pH	—	8.3	8.8	9.3	8.0	9.0								8.7		6.5~8.5
		SS	mg/L	<1	5	<1	1	9								3		50以下
		BOD	mg/L	1.8	2.3	2.0	1.4	1.3								1.8		5以下
		COD	mg/L	4.3	3.4	4.5	3.2	3.6								3.8		—
	大庭橋 (小糸川)	pH	—	8.2	8.6	8.6	8.6	8.7								8.5		6.5~8.5
		SS	mg/L	<1	<1	1	<1	2								1		50以下
		BOD	mg/L	1.8	1.4	0.5	0.9	<0.5								1.0		5以下
		COD	mg/L	3.0	2.2	2.9	2.2	2.4								2.5		—
境川水系	大清水橋 (本川)	pH	—	7.5	8.2	7.9	7.7	7.8								7.8		6.0~8.5
		SS	mg/L	1	7	9	1	4								4		100以下
		BOD	mg/L	3.0	5.7	5.5	2.1	3.7								4.0		8以下
		COD	mg/L	6.1	5.9	7.5	4.2	5.7								5.9		—
	陣屋橋 (白旗川)	pH	—	7.7	8.3	8.3	8.0	8.2								8.1		6.0~8.5
		SS	mg/L	<1	<1	1	<1	1								1		100以下
		BOD	mg/L	1.2	0.9	0.7	1.0	<0.5								0.9		8以下
		COD	mg/L	2.4	1.2	2.7	2.4	1.7								2.1		—
	滝川橋 (滝川)	pH	—	7.9	8.2	8.2	8.0	8.1								8.1		6.0~8.5
		SS	mg/L	11	1	4	4	3								5		100以下
		BOD	mg/L	1.1	0.9	<0.5	0.8	<0.5								0.8		8以下
		COD	mg/L	3.4	2.2	2.2	3.2	1.9								2.6		—
相模川水系	久保田橋 (目久尻川)	pH	—	8.0	8.5	8.0	7.9	8.0								8.1		6.5~8.5
		SS	mg/L	1	1	7	5	6								4		25以下
		BOD	mg/L	1.3	1.4	1.4	0.8	<0.5								1.2		3以下
		COD	mg/L	2.1	1.5	3.3	3.2	2.3								2.5		—
	追出橋 (小出川)	pH	—	7.7	8.1	7.6	7.7	7.6								7.7		6.5~8.5
		SS	mg/L	19	4	13	13	8								11		25以下
		BOD	mg/L	12	3.3	2.2	3.4	2.0								4.6		3以下
		COD	mg/L	10	4.7	4.4	5.1	4.3								5.7		—

このデータは確定作業前の速報値ですので後日変更する可能性があります。

2025年度 水質汚濁防止法第16条測定計画（河川） 測定結果

地点名	類型	項目名	単位	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	平均	75%値	環境基準値
境川	大道橋 (環境基準点)	pH	—	7.6	7.7	7.8	7.6	7.4	7.6	7.4	7.7	7.8	7.2	7.6	7.6	7.6	—	6.0~8.5
		SS	mg/L	5	3	5	4	6	5	10	3	4	4	7	6	5	—	100以下
		BOD	mg/L	8.2	6.1	4.9	9.0	9.5	9.4	7.0	7.6	8.9	9.4	8.2	8.0	8.0	9.0	8以下
		COD	mg/L	6.6	4.0	3.1	4.5	4.8	5.8	5.4	5.9	6.2	7.0	7.8	6.7	5.7	—	—
	川名橋 (柏尾川)	pH	—	7.5	7.6	7.7	7.5	7.7	7.6	7.4	7.6	7.7	7.2	7.6	7.7	7.6	—	6.5~8.5
		SS	mg/L	7	5	4	4	5	4	5	3	5	3	4	3	4	—	50以下
		BOD	mg/L	2.5	1.8	1.3	2.0	1.8	2.0	2.2	1.4	1.8	1.8	3.8	2.1	2.0	2.1	5以下
		COD	mg/L	7.1	4.6	3.9	5.5	6.1	6.2	5.4	5.7	7.5	7.7	8.0	6.5	6.2	—	—
	境川橋 (環境基準点)	pH	—	7.2	7.5	7.8	7.2	7.2	7.5	7.4	7.1	7.3	7.0	7.5	7.6	7.4	—	6.5~8.5
		SS	mg/L	7	6	4	4	5	3	6	4	4	3	6	3	5	—	50以下
		BOD	mg/L	2.0	3.6	2.6	1.7	2.3	4.3	4.4	1.3	1.8	4.9	2.0	3.0	2.8	3.6	5以下
		COD	mg/L	5.5	4.0	3.7	4.5	4.8	5.8	4.6	6.2	7.1	9.5	6.4	6.4	5.7	—	—
引地川	下土棚大橋	pH	—	7.6	7.6	7.6	7.6	7.7	7.7	7.4	7.7	7.8	7.1	7.5	7.8	7.6	—	6.5~8.5
		SS	mg/L	4	3	4	7	8	8	3	5	5	3	5	4	5	—	50以下
		BOD	mg/L	4.7	3.6	3.2	3.4	6.0	7.1	4.3	3.5	3.5	5.4	6.1	1.8	4.4	5.4	5以下
		COD	mg/L	4.6	3.0	2.6	3.0	3.6	4.5	4.4	4.1	4.2	4.0	4.7	4.3	3.9	—	—
	石川橋	pH	—	7.6	7.6	7.7	7.7	7.8	7.8	7.4	7.7	7.8	7.1	7.7	8.0	7.7	—	6.5~8.5
		SS	mg/L	4	2	2	3	7	6	3	1	4	3	4	2	3	—	50以下
		BOD	mg/L	4.0	2.7	1.8	2.3	2.3	3.2	3.5	2.8	3.5	4.3	5.4	2.3	3.2	3.5	5以下
		COD	mg/L	4.6	3.2	2.3	3.1	4.1	3.8	4.2	4.2	4.6	4.6	5.6	5.0	4.1	—	—
	富士見橋 (環境基準点)	pH	—	7.6	7.7	7.7	7.7	7.8	7.8	7.5	7.7	7.8	7.1	8.0	8.2	7.7	—	6.5~8.5
		SS	mg/L	7	4	5	4	12	10	11	3	5	2	6	2	6	—	50以下
		BOD	mg/L	2.9	2.6	1.3	2.0	1.8	2.0	2.3	1.8	2.2	2.5	3.4	1.8	2.2	2.5	5以下
		COD	mg/L	5.1	3.0	2.7	3.2	4.2	3.8	4.2	5.6	4.5	4.7	5.0	4.5	4.2	—	—

2025年度 水質汚濁防止法第16条測定計画（海域） 測定結果

海域名	類型	項目名	単位	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	平均	75%値	環境基準値
江の島西	A	pH	—	8.2	8.1	8.0	8.1	8.2	8.3	8.1	8.2	8.2	8.1	8.1	8.1	8.1	—	7.8~8.3
		COD	mg/L	2.1	1.8	2.6	2.7	1.8	2.5	2.2	1.6	2.3	1.0	1.4	2.3	2.0	2.3	2以下
		大腸菌数	CFU/100mL	39	25	1000	100	11	6	200	3	69	11	23	51	130	—	300以下
辻堂沖 (環境基準点)	A	pH	—	8.2	8.1	8.1	8.1	8.2	8.2	8.1	8.2	8.2	8.1	8.1	8.2	8.2	—	7.8~8.3
		COD	mg/L	1.8	1.8	1.9	1.9	1.6	1.6	1.2	1.4	1.3	1.1	1.6	1.3	1.5	1.8	2以下
		大腸菌数	CFU/100mL	<1	15	9	10	6	<1	<1	<1	<1	<1	<1	<1	4	—	300以下

2025年度 藤沢市河川水質測定計画 測定結果

地 点 名	類型	項目名	単位	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	平均	75%値	環境基準値
引地川水系	熊野橋 (本川)	pH	—	7.9	8.0	7.7	7.8	7.7	7.8	7.9	7.8	7.5	7.7	7.8	7.5	7.8	—	6.5~8.5
		SS	mg/L	2	3	3	6	4	7	3	5	4	3	3	2	4	—	50以下
		BOD	mg/L	0.7	0.5	0.6	1.6	欠測	0.9	0.7	0.9	<0.5	0.5	1.3	1.8	0.9	1.3	5以下
		COD	mg/L	1.4	1.2	1.6	1.9	2.0	2.5	1.9	1.6	1.6	1.5	1.2	1.3	1.6	—	—
	新境橋 (夢川)	pH	—	7.7	7.7	7.6	7.5	7.8	7.7	7.6	7.8	7.3	7.5	7.5	7.4	7.6	—	6.5~8.5
		SS	mg/L	3	2	2	30	14	9	2	3	32	6	6	3	9	—	50以下
		BOD	mg/L	7.1	7.9	4.1	6.1	欠測	7.7	3.1	6.0	7.3	欠測	11	4.8	6.5	7.7	5以下
		COD	mg/L	5.2	4.7	4.1	7.9	7.0	6.8	4.7	4.9	5.4	5.6	6.1	4.8	5.6	—	—
	不動川橋 (不動川)	pH	—	7.8	8.0	7.9	8.3	8.5	8.4	8.0	7.8	7.6	7.7	7.7	7.5	7.9	—	6.5~8.5
		SS	mg/L	<1	<1	<1	<1	1	2	<1	<1	<1	<1	<1	<1	1	—	50以下
		BOD	mg/L	0.8	1.7	1.2	1.6	欠測	1.6	1.5	1.0	0.6	0.9	1.4	3.0	1.4	1.6	5以下
		COD	mg/L	2.4	2.2	2.0	2.1	2.7	2.5	1.6	1.6	2.1	1.8	1.6	2.3	2.1	—	—
	下中村橋 (一色川)	pH	—	8.2	8.1	8.0	8.5	8.4	8.7	8.5	8.6	7.7	8.3	8.2	8.1	8.3	—	6.5~8.5
		SS	mg/L	6	1	2	1	59	21	1	2	27	6	11	3	12	—	50以下
		BOD	mg/L	3.5	1.2	1.3	2.3	欠測	3.0	1.7	1.9	4.4	3.0	4.4	3.7	2.8	3.7	5以下
		COD	mg/L	4.9	2.9	3.0	4.9	13	7.8	4.0	3.5	6.9	5.3	6.6	4.0	5.6	—	—
	大庭橋 (小糸川)	pH	—	8.2	8.4	8.3	8.4	8.5	8.6	8.2	8.2	8.0	8.2	8.0	7.9	8.2	—	6.5~8.5
		SS	mg/L	9	2	<1	6	3	4	4	5	9	2	1	1	4	—	50以下
		BOD	mg/L	2.8	1.4	0.7	2.7	欠測	1.7	1.1	1.6	1.4	1.4	1.2	2.8	1.7	2.7	5以下
		COD	mg/L	4.6	3.7	2.0	5.5	4.1	4.2	4.3	3.2	4.8	3.4	2.7	2.8	3.8	—	—
境川水系	大清水橋 (本川)	pH	—	7.6	7.9	7.6	7.7	7.8	7.7	7.6	7.6	7.4	7.6	7.6	7.5	7.6	—	6.0~8.5
		SS	mg/L	7	3	4	5	8	4	3	2	5	4	6	4	5	—	100以下
		BOD	mg/L	4.0	4.9	2.5	6.1	欠測	6.0	1.8	2.2	4.9	5.9	6.0	3.8	4.4	6.0	8以下
		COD	mg/L	6.7	5.9	5.5	6.5	7.8	7.7	5.8	7.0	7.9	8.8	9.1	6.3	7.1	—	—
	陣屋橋 (白旗川)	pH	—	7.7	8.0	8.0	8.0	8.2	8.2	7.8	7.8	7.6	7.7	7.8	7.7	7.9	—	6.0~8.5
		SS	mg/L	5	1	1	1	6	9	1	3	1	2	2	2	3	—	100以下
		BOD	mg/L	0.5	0.9	1.1	1.9	欠測	1.4	0.9	1.3	0.6	1.9	1.3	2.5	1.3	1.9	8以下
		COD	mg/L	3.1	1.9	2.0	2.0	2.9	3.4	2.3	2.0	2.3	2.4	2.0	2.6	2.4	—	—
	滝川橋 (滝川)	pH	—	7.9	8.0	8.0	8.1	8.2	8.2	8.0	7.9	7.7	7.9	8.5	8.0	8.0	—	6.0~8.5
		SS	mg/L	3	4	3	2	2	2	5	4	2	4	<1	9	3	—	100以下
		BOD	mg/L	0.7	0.7	0.4	1.4	欠測	0.6	0.6	1.1	0.8	1.0	1.3	2.3	1.0	1.3	8以下
		COD	mg/L	2.0	1.8	2.8	1.8	1.7	2.3	2.4	2.0	2.0	1.5	2.7	2.4	2.1	—	—
相模川水系	久保田橋 (目久尻川)	pH	—	8.3	8.2	7.7	7.8	7.8	8.0	8.0	8.0	7.8	8.0	8.0	7.8	8.0	—	6.5~8.5
		SS	mg/L	3	4	4	6	5	8	6	3	2	5	6	2	5	—	25以下
		BOD	mg/L	0.6	0.9	0.8	2.1	欠測	1.4	0.9	1.1	<0.5	1.2	1.4	2.0	1.1	1.4	3以下
		COD	mg/L	2.1	1.9	2.7	2.8	3.0	2.8	2.3	1.6	2.2	1.9	2.1	2.0	2.3	—	—
	追出橋 (小出川)	pH	—	7.8	8.1	7.6	7.5	7.4	7.4	7.7	7.7	7.6	7.8	7.7	7.5	7.7	—	6.5~8.5
		SS	mg/L	16	10	9	11	12	12	26	38	84	38	100	14	31	—	25以下
		BOD	mg/L	8.6	4.5	2.0	4.5	欠測	4.5	6.3	13	38	23	49	11	15	23	3以下
		COD	mg/L	9.1	4.5	3.8	5.4	6.6	6.7	10	14	41	22	48	9.6	15	—	—